

CITY OF ST. MARYS
ORDINANCE NO. 304

ESTABLISHING MAXIMUM ALLOWABLE INDUSTRIAL LOADINGS UNDER THE
CITY OF ST. MARYS PRETREATMENT PROGRAM

WHEREAS, the United States Environmental Protection Agency (“USEPA”) requires the City of St. Marys to develop local limits for industrial discharges to the sanitary sewer system;

AND WHEREAS the City of St. Marys has submitted information to the USEPA relating to the maximum allowable industrial loadings at headworks of the Waste Water Treatment Plant;

AND WHEREAS the USEPA has approved the maximum allowable industrial loadings for various types of pollutants, as more specifically described in this Ordinance;

AND WHEREAS the City of St. Marys regulates the industrial discharges to the sanitary sewer system through Chapter 18, Sections 202 and 203, of the St. Marys City Code;

NOW THEREFORE, City Council of the City of St. Marys ordains as follows:

Chapter 18, Section 203, of the St. Marys City Code is amended by adding the following additional provision:

“7. (A) Maximum allowable industrial loadings. No industrial user shall introduce or cause to be introduced into the Publically Owned Treatment Works (POTW) any of the following pollutants which will cause the loading of the POTW to exceed any of the following described local limits:

Pollutant of Concern	Local Limit Lbs/Day
Arsenic	0.3643
Cadmium	0.0816
Chromium	5.9820
Copper	8.1601
Cyanide	0.1034
Lead	0.3332
Mercury	0.0016
Molybdenum	97.2819
Nickel	2.3004
Selenium	0.0771
Silver	0.6750
Zinc	20.4433

Beryllium	0.3232
Bis (2-Ethylhexyl) Phthalate	0.2530
Sulfate	3210.4984
Sulfide	26.5207

(B) The City reserves the right to allocate individual pollutants in an individual Industrial User Permit as necessary to assure that the local limit loadings of the specific pollutants are not exceeded within the POTW.

(C) Allocations to individual Industrial User Permit holders will be made on an as-needed basis while maintaining appropriate local limit reserves for each pollutant.

(D) The City also reserves the right to revise the amount of individual pollutants allowed under any Industrial User Permit as may be necessary to maintain the local limit loadings set by this ordinance.

(E) The limits appearing in an individual Industrial User Permit shall be the enforceable limits for that individual user.

(F) Any violation of a Permit limit shall be considered a violation of these regulations.

ADOPTED THIS 19th day of June, 2017.

CITY OF ST. MARYS

Attest:

Secretary

BY:
Mayor